

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 25.02.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **K Rend R7 Acrylic**

Safety data sheet no.: 44P11287

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Kilwaughter Minerals Ltd.

9 Starbog Road

Larne

United Kingdom

BT40 2TJ

Phone: 028 2826 0766

Fax: 028 2826 0136

KilwaughterSDS@saint-gobain.com

1.4 Emergency telephone number:

- Ireland: National Poisons Information Centre: +353 (1) 809 2166 (Members of the public 8am - 10pm, 7 days a week) ; +353 (1) 809 2566 (Healthcare professionals only 24/7)

- Iceland: Poisons Information Center - Icelandic University Hospital: +354 543 2222

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard-determining components of labelling:

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

1,2-benzisothiazoline-3(2H)-one

Hazard statements

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 25.02.2026

Trade name: K Rend R7 Acrylic

(Contd. of page 1)

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P261 Avoid breathing mist/vapours/spray.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

Determination of endocrine-disrupting properties

Does not contain substances with endocrine-disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description: Mixture consisting of the following components.

(Contd. on page 3)

EUG

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 25.02.2026

Trade name: K Rend R7 Acrylic

(Contd. of page 2)

Dangerous components:

| | | |
|---|--|------------------|
| CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 | 1,2-benzisothiazoline-3(2H)-one ⚠ Acute Tox. 2, H330; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317 ATE: LD50 oral: 450 mg/kg LC50/4 h inhalative: 0.21 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.036 % substance with a Community workplace exposure limit | ≥0.025-<0.036% |
| CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 | reaction mass of 5-chloro-2- methyl-2H-isothiazol-3- one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3- one [EC no. 220-239-6] (3:1) ⚠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 Note: B Specific concentration limits: Skin Corr. 1C; H314:C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % substance with a Community workplace exposure limit | ≥0.0015-<0.0025% |

SVHC Void

Additional information For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures
General information Immediately remove any clothing soiled by the product.

After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists.

Remove contact lenses, if possible. Continue rinsing

After swallowing Rinse mouth. DO NOT induce vomiting. If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 4)

EUG

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 25.02.2026

Trade name: K Rend R7 Acrylic

(Contd. of page 3)

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents

 CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters
Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required

6.2 Environmental precautions:

The product must not get into lakes, rivers or canals, the sewage system or into the soil. Dam up or trap any escaping fluid immediately.

The product must not get into watercourses or into the soil.

Do not drain into drains or public water systems. Alert the relevant authorities if the liquid enters a sewer or open water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Products must be stored in their original packaging, protected from the effects of weather and soil moisture.

When opening bagged products, make sure that the product is only poured into the intended mixing device and is then mixed carefully and properly.

If necessary, cover the work surface with a suitable tarpaulin.

Prepare product in accordance with manufacturer's instructions. Implementation of the appropriate health, safety and environmental risk management measures.

In case of dry mortars: Process mortar residues to let them harden, before returning the residues to recycling or disposing them off in accordance with applicable requirements and regulations.

Collect water from cleaning of tools or other equipment for reuse or disposal according to local regulations. Do not dispose cleaning water into the environment or stormwater drains.

Packaging must remain undamaged to prevent the product from leaking into the environment.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 5)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 25.02.2026

Trade name: K Rend R7 Acrylic

(Contd. of page 4)

7.2 Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters
Ingredients with limit values that require monitoring at the workplace:

| DNELs | | |
|--|--|---|
| CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one | | |
| Dermal | Derived No Effect Level | 0.966 mg/kgxday (worker systemic long term value) 0.345 mg/kgxday (consumer systemic long term value) |
| Inhalative | Derived No Effect Level | 6.81 mg/m ³ (worker systemic long term value) 1.2 mg/m ³ (consumer systemic long term value) |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | | |
| Oral | Derived No Effect Level | 0.09 mg/kgxday (consumer systemic long term value) |
| Inhalative | Derived No Effect Level | 0.02 mg/m ³ (worker local long term value) 0.02 mg/m ³ (consumer local long term value) |
| PNECs | | |
| CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one | | |
| Predicted No-Effect Concentration | | 3 mg/kgxdwt (earth rating factor) |
| Predicted No-Effect Concentration | | 0.000403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor) |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | | |
| Predicted No-Effect Concentration | | 0.01 mg/kgxdwt (earth rating factor) |
| Predicted No-Effect Concentration | | 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) |
| CAS No. / Designation of material / % / Type / Value / Unit | | |
| CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one | | |
| MAK (Germany) | vgl.Abschn.IIb und Xc | |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | | |
| MAK (Germany) | Long-term value: 0.2E mg/m ³ vgl.Abschn.Xc | |

8.2 Exposure controls
Appropriate engineering controls No further data; see section 7.

(Contd. on page 6)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 25.02.2026

Trade name: K Rend R7 Acrylic

(Contd. of page 5)

Individual protection measures, such as personal protective equipment
General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Use a moisturising skin cream after processing the product.

Respiratory protection: Not necessary if room is well-ventilated.

Hand protection Protective gloves against chemicals (standard EN 374-1)

Material of gloves Nitrile rubber, NBR

Eye/face protection Protective eyewear (standard EN 166)

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties
General Information

| | |
|---|------------------------------------|
| Physical state | Liquid |
| Colour: | According to product specification |
| Odour: | Characteristic |
| Odour threshold: | Not determined |
| Melting point/freezing point: | Undetermined |
| Boiling point or initial boiling point and boiling range | Undetermined |
| Flammability | Not applicable |
| Lower and upper explosion limit | |
| Lower: | Not determined |
| Upper: | Not determined |
| Flash point: | Not applicable |
| Auto-ignition temperature: | Not determined. |
| Decomposition temperature: | Not determined |
| pH | Not determined |
| Viscosity: | |
| Kinematic viscosity | Not determined. |
| dynamic: | Not determined. |
| Solubility | |
| Water: | Not miscible or difficult to mix |
| Partition coefficient n-octanol/water (log value) | Not determined |
| Vapour pressure: | Not determined |
| Density and/or relative density | |
| Density: | Not determined |
| Relative density | Not determined |
| Bulk density: | Not applicable. |
| Vapour density | Not determined |

9.2 Other information
Appearance:
Form: Liquid

(Contd. on page 7)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 25.02.2026

Trade name: K Rend R7 Acrylic

(Contd. of page 6)

Important information on protection of health and environment, and on safety.

| | |
|---------------------------------|---|
| Ignition temperature: | Product is not self-igniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Minimum ignition energy | |
| Solvent separation test: | Not determined |
| Solvent content: | |
| Organic solvents: | 0.3 % |
| Water: | 14.7 % |
| EU-VOC (%) | 0.1174 % |
| EU-VOC (g/L) | 0.0162 g/l |
| Change in condition | |
| Softening point/range | |
| Oxidising properties | Not determined. |
| Evaporation rate | Not determined |

Information with regard to physical hazard

| | |
|--|------|
| classes | |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flammable gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

(Contd. on page 8)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 25.02.2026

Trade name: K Rend R7 Acrylic

(Contd. of page 7)

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

| Components | Type | Value | Species |
|--|----------|---------------------|----------|
| Aqueous dispersion of a polymer based on: acrylic ester, styrene | | | |
| Oral | LD50 | >2,000-10,000 mg/kg | (Rat) |
| aqueous dispersion of a copolymer based on styrene and acrylic acid ester | | | |
| Oral | LD50 | >2,000-10,000 mg/kg | (Rat) |
| CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one | | | |
| Oral | LD50 | 450 mg/kg | (ATE) |
| Dermal | LD50 | >2,000 mg/kg | (Rat) |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | | | |
| Oral | LD50 | 457 mg/kg | (Rat) |
| Dermal | LD50 | 660 mg/kg | (Rabbit) |
| Inhalative | LC50/4 h | 2.36 mg/l | (Rat) |

Primary irritant effect:
Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Harmful to aquatic life with long lasting effects (H412).

Harmful to aquatic life with long lasting effects.

Type of test / Effective concentration / Method / Assessment

Aqueous dispersion of a polymer based on: acrylic ester, styrene

| | |
|----------|---|
| LC50/96h | >100 mg/l (Brachydanio rerio (zebra danio)) |
| EC50/48h | >100 mg/l (Daphnia magna) |

(Contd. on page 9)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 25.02.2026

Trade name: K Rend R7 Acrylic

(Contd. of page 8)

| | |
|--|--|
| EC50/72h | >100 mg/l (Scenedesmus subspicatus (Algae)) |
| CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one | |
| LC50/96h | 2.15-22 mg/l (Fish) |
| EC50/48h | 2.9 mg/l (aquatic invertebrates) |
| EC50/72h | 0.07-0.15 mg/l (aquatic algae and cyanobacteria) |
| NOEC (72h) | 0.0403-0.055 mg/l (aquatic algae and cyanobacteria) |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | |
| LC50/48h | 0.18 mg/l (Daphnia magna) |
| LC50/96h | 0.282 mg/l (Daphnia magna) |
| | 0.19-0.3 mg/l (Fish) |
| EC50/24h | 0.109 mg/l (Daphnia magna) |
| | 0.0107 mg/l (aquatic algae and cyanobacteria) |
| EC50/48h | 0.16 mg/l (Daphnia magna) |
| | 0.0181-0.0371 mg/l (aquatic algae and cyanobacteria) |
| EC50/96h | 0.0357 mg/l (aquatic algae and cyanobacteria) |
| EC50/72h | 0.0063-0.0273 mg/l (aquatic algae and cyanobacteria) |
| NOEC (14d) | 0.035 mg/l (Daphnia magna) |
| NOEC (21d) | 0.011-1.05 mg/l (Daphnia magna) |
| NOEC (28d) | 0.098 mg/l (Fish) |

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential
CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one

EBAB | 0.7 log Pow

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EBAB | 0.75 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment
PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects
Remark: Harmful to fish

Behaviour in sewage processing plants:

| Type of test / Effective concentration / Method / Assessment | |
|--|-------------------------------|
| CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one | |
| EC 50 (3h) | 12.8-24 mg/l (microorganisms) |
| CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | |
| EC 50 (3h) | 4.5 mg/l (microorganisms) |

(Contd. on page 10)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 25.02.2026

Trade name: K Rend R7 Acrylic

(Contd. of page 9)

Additional ecological information:
General notes:

Danger to drinking water if even extremely small quantities leak into the ground.
Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation

Dispose of the product in accordance with national and local regulations.

Avoid release to the environment.

Do not spill water or dispose cleaning water into the environment.

When cleaning tools: remove product residues from the mixing and application tools before cleaning them with water.

Hardened product residues must be disposed of in accordance with applicable local regulations.

Cleaning with a high-pressure cleaner is not recommended, as this could result in the release of the product to the environment, which must be avoided.

Process mortar residues to let them harden, before returning the residues to recycling or disposing them of in accordance with applicable requirements.

Uncleaned packaging:
Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

| | |
|---|----------------|
| 14.1 UN number or ID number ADR, IMDG, IATA | Void |
| 14.2 UN proper shipping name ADR, IMDG, IATA | Void |
| 14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class | Void |
| 14.4 Packing group ADR, IMDG, IATA | Void |
| 14.5 Environmental hazards: | Not applicable |
| 14.6 Special precautions for user | Not applicable |
| 14.7 Maritime transport in bulk according to IMO instruments | Not applicable |
| UN "Model Regulation": | Void |

EUG

(Contd. on page 11)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 25.02.2026

Trade name: K Rend R7 Acrylic

(Contd. of page 10)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII

 Conditions of restriction: 3

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU)

(Contd. on page 12)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 09.04.2026

Version number 1

Revision: 25.02.2026

Trade name: K Rend R7 Acrylic

(Contd. of page 11)

2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H310 Fatal in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H330 Fatal if inhaled.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008

| | |
|--------------------|--|
| Skin sensitisation | The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. |
|--------------------|--|

Department issuing SDS: EHS

Contact:

Kilwaughter SDS
 Phone: 028 2826 0766
 KilwaughterSDS@saint-gobain.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organisation
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern (REACH regulation)
 vPvB: very Persistent and very Bioaccumulative
 ATE: Acute toxicity estimate values
 Acute Tox. 3: Acute toxicity – Category 3
 Acute Tox. 4: Acute toxicity – Category 4
 Acute Tox. 2: Acute toxicity – Category 2
 Skin Corr. 1C: Skin corrosion/irritation – Category 1C
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Skin Sens. 1: Skin sensitisation – Category 1
 Skin Sens. 1A: Skin sensitisation – Category 1A
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

*** Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.